

PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## EU Type Examination Certificate

Date: 2020/02/17

## n. 858200801/OE

Validity: 2025/02/16

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	<b>CENTRO DE INNOVACIÓN PARA MOTOCICLISTAS T4R SAS</b> Av. Carrera 45 Autopista Norte No. 114-78 oF. 501 – Bogotá – COLOMBIA			
Type of PPE:	Motorcyclist's protective garments – jacket         II : "medium" risks.         This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.         "URBAN JACKET"         2 colorways (*)			
Category of PPE:				
Model:				
Description: YELLOW FRONT: BACK:	DESCRIPTION of the color variant "YELLOW": <u>external side</u> : - black fabric art. "REEBAG", declared 100% Polyester; - yellow fabric art. "REEBAG", declared 100% Polyester; - black fabric art. "HURACAN", declared 100% Polyester; - black fabric art. "VIOTO", declared 100% Polyester; - black fabric art. "REEBAG", declared 100% Polyester; - black fabric art. "REEBAG", declared 100% Polyester; - black fabric art. "REEBAG", declared 100% Polyester; - black fabric art. "HURACAN", declared 100% Polyester; - black perforated fabric art. "SAVIOLA", declared 93% Polyester 7% Lycra; <u>removable lining</u> (art. "WISE RACE VEST"): - black fabric art. "FABRICS #2", declared 100% Polyester; - yellow fabric art. "FABRICS #2", declared 100% Polyester; - black fabric art. "LYCRA", declared 100% Polyester; <u>main fastening system</u> : by means of a metallic zipper; <u>wrist closure</u> : by means of two metallic buttons;			
	<ul> <li><u>external pockets</u>: externally and internally in black fabric art. "REEBAG", declared 100% Polyester;</li> <li><u>protectors pocket</u> (jacket): shoulder/elbow: black perforated fabric art. "SAVIOLA", declared 93% Polyester 7% Lycra;</li> <li><u>protectors pocket</u> (removable lining art. "WISE RACE VEST"): back: externally in yellow fabric art. "FABRICS #2", declared 100% Polyester, and internally in black fabric art. "LYCRA", declared 100% Polyester.</li> <li><b>CE Certified protectors inserted into the garment, all by SAS-TEC GmbH:</b></li> <li><u>shoulder protector</u>: art. "SC-1/01";</li> <li><u>elbow protector</u>: art. "SC-1/15".</li> <li>(*) The jacket is also available in the color variant "BLACK".</li> </ul>			
echnical Standard:	EN ISO 13688:2013Protective clothing – general requirementsFprEN 17092-4:2019Protective garments for motorcycle riders – Part 4:(version 2019/03)Light-duty protective garments – Requirements			
ntended use:	Motorcycling: preventive use – <u>correct fitting and positioning of the inner protections are</u> <u>essential</u> – the protective functions are guaranteed only by the jacket + protectors correctly inserted.			



PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## EU Type Examination Certificate

Date: 2020/02/17

n. 858200801/OE

Validity: 2025/02/16

	Manufacturer's sizing system (Men's sizes): from S to XXXL (correspondence with the User's height and chest girth range in the size chart in the User Manual)			
echnical File:	DC-11090			
est report:	RCT n° 3910440.01/E			
unctions and performance levels:	<ul> <li>The garment offers limited protection against mechanical risks arising from impact and abrasion in case of a fall while participating in motorcycling activities: CE-Certified incorporated impact protectors provide strengthened protection.</li> <li>This PPE item has reached the following performance:</li> <li>Class A (*) = the lowest class including protectors, designed to give some protection whilst having the lowest possible weight and ergonomic penalties associated with its use Protective function is linked to the correct fit of the garment – also the inner impact protectors must be kept in their place: this falls within the responsibility of the user.</li> <li>(*) = The applied Technical Draft document currently provides different levels of protection for garments including protectors/shells: from class AAA (highest level of performance) to class AA (medium level) to class A (lower level);</li> <li>class B for garments not including protectors / shells = just abrasion protection;</li> <li>class C for Impact protector ensemble garments.</li> </ul>			
Aarking: CENTRO DE INNOVACION PARA MOTOCICLISTAS AIR DAG	<ul> <li>printed on different labels stitched to the garment and displaying the following information:</li> <li>CE Marking;</li> <li>Name/Registered Trademark (AIROBAG), address and website of the Manufacture item designation (article name);</li> <li>pictogram to indicate the intended use (motorcycling) + nr. / year of the Technico Draft of reference + indication of the class of protection achieved;</li> <li>pictogram "i in the booklet" inviting the final user to read the User Manual;</li> <li>size indication (commercial size: on an extra label);</li> <li>additional information: "Made in", material composition, care/washing instruction warnings, etc.</li> </ul>		bsite of the Manufacture <mark>r;</mark>	
3	<ul> <li>pictogram "i in the booklet"</li> <li>size indication (commercial</li> <li>additional information: "Mag</li> </ul>	inviting the final user to read th size: on an extra label);	he User Manual;	





NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

